




ZPC - EPOXY AND ZINC COATED CAST IRON HUBLESS PIPE



COMPLY WITH BS EN877: 2021
BS EN 598: 2007



EPOXY COATING CHARACTERISTIC

Pipes:

- The inner wall of the tube: two-component epoxy resins consists of a resin and a hardener component.
Color Number: #A46815
- The outer wall of the tube: The senior grey iron alkyd enamel coating.
Color Number: #4D5B62

Note:

- Availability upon request.
- The tolerance for weight is $\pm 10\%$

COMPONENT PARTS

ITEM	LAYERS	THICKNESS
1	Internal Coating	Min. 250µm
2	Cast Iron	EN1561
3	A Lay Of Metallic Zinc	130g/m ²
4	External Coating	Average thickness $\geq 70\mu\text{m}$, local minimum thickness not less than 50µm

DIMENSIONS

SKU	DN (mm)	OD MAX (mm)	OD MIN (mm)	T- NOMINAL (mm)	T- MIN (mm)	L [mm]	WEIGHT (kg)
PIPHUBZ050	50	60.0	57.0	3.5	3.0	3000	13.0
PIPHUBZ080	75	85.0	82.0	3.5	3.0	3000	18.9
PIPHUBZ100	100	112.0	109.0	3.5	3.0	3000	25.2
PIPHUBZ125	125*	137.0	133.0	4.0	3.5	3000	35.4
PIPHUBZ150	150	162.0	158.0	4.0	3.5	3000	42.2
PIPHUBZ200	200	212.0	208.0	5.0	4.0	3000	69.3
PIPHUBZ250	250*	276.5	271.5	5.5	4.5	3000	99.8
PIPHUBZ300	300*	328.5	323.5	6.0	5.0	3000	129.7